

**Safety Data Sheet**  
**LUBRIPLATE®**  
**Revision Date: 5/01/20**



Prepared according to Global Harmonized System (GHS) standards

SECTION 1		CHEMICAL PRODUCT IDENTIFICATION
Cat Pumps 1681 94th Lane NE., Minneapolis, MN 55449-4324 Tel: 763-780-5440		
Product Trade Name:	LUBRIPLATE®	
CAS Number:	Mixture	
Synonyms/Other:	N/A	
Part Number(s):	997657, 997638	
Recommended Use:	Petroleum lubricating oil (Food Grade)	
Restrictions on Use:	Not determined.	
Created Date:	11/20/2014	
Preparation/Revision Date:	5/01/2020	
Emergency Phone Number:	1-800-535-5053 (INFOTRAC)	
SDS CODE:		

SECTION 2		HAZARD IDENTIFICATION
Appearance:		
Odor:	Petroleum	
Classification:	Not classified.	
Target Organs:	Not available.	
Pictogram(s):	None required.	
Signal Word:	No signal word.	
Hazard Statement:	No known significant effects or critical hazards.	
Other Hazards:	Not determined.	
Prevention:	Not applicable.	
Response:	Not applicable.	
Storage Procedures:	Not applicable.	
Disposal:	Not applicable.	
Other:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.	

SECTION 3		COMPOSITION OF INGREDIENTS
Substance/Mixture:	Substance	
Other Means of Identification:	Not available.	
<b>CAS Number/Other Identifiers</b>		
CAS Number:	Not available.	
Product Code:	NSF: 122674/122689/122666/122672	

Ingredient Name	Other Names	%	CAS Number
White mineral oil (petroleum)	White mineral oil (petroleum)	100	8042-47-5

Any concentration shown as a range is to protect confidentiality or due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

# Safety Data Sheet

## LUBRIPLATE®

Revision Date: 5/01/20

SECTION 4	FIRST AID MEASURES
Eye Contact:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Skin Contact:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most Important Symptoms/Effects, Acute and Delayed

#### Potential Acute Health Effects

Eye Contact:	No known significant effects or critical hazards.
Inhalation:	No known significant effects or critical hazards.
Skin Contact:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye Contact:	No specific data.
Inhalation:	No specific data.
Skin Contact:	No specific data.
Ingestion:	No specific data.

#### Indication of immediate medical attention and special treatment needed. (If necessary)

Notes to physician:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments:	No specific treatment.
Protection of first-aiders:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section 11)	

SECTION 5	FIRE FIGHTING MEASURES
<b>Extinguishing media</b>	
Suitable extinguishing media:	Use dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media:	Do not use water jet.
Specific hazards arising from the chemical:	In fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products:	Decomposition products may include the following materials: - carbon dioxide - carbon monoxide - sulfur oxides
Special protective actions for fire-fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Autoignition temperature:	Not determined.
Explosion data:	Not determined.

**Safety Data Sheet**  
**LUBRIPLATE®**  
**Revision Date: 5/01/20**

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

Small spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**SECTION 7 HANDLING AND STORAGE**

**Precautions for safe handling**

Protective measures:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Additional information:	

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Control Parameters**

**Occupational exposure limits**

<b>Ingredient name</b>	<b>Exposure limits</b>
White mineral oil (petroleum)	<b>ACGIH TLV (United States, 6/2013).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction <b>NIOSH REL (United States, 10/2013).</b> TWA: 5 mg/m <sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist <b>OSHA PEL (United States, 2/2013).</b> TWA: 5 mg/m <sup>3</sup> 8 hours.
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Safety Data Sheet

### LUBRIPLATE®

Revision Date: 5/01/20

#### SECTION 8 continued | EXPOSURE CONTROLS / PERSONAL PROTECTION

##### Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: Safety eye wear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

##### Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### SECTION 9 | PHYSICAL AND CHEMICAL PROPERTIES

##### Appearance

Physical state:	Liquid. [oil [Transparent]]
Color:	Water white
Odor:	Mineral oil.
Odor threshold:	Not available.
pH:	Not available.
Melting point:	-43 to -18° C (-45.4 to -0.4° F)
Initial boiling point:	>288° C (>550.4° F)
Boiling range:	Not determined.
Flash point:	Open cup: 168 to 266° C (334.4 to 510.8° F) [Cleveland.]
Evaporation rate:	<0.01 (butyl acetate = 1)
Flammability (solid, gas):	Not applicable.
Upper flammable limit:	Upper: 7%
Lower flammable limit:	Lower: 0.9%
Vapor pressure:	<0.0013 kPa (<0.01 mm Hg)
Vapor density:	>5 [Air = 1]
Relative density:	0.86 to 0.88 [Water = 1]
Solubility:	Insoluble in the following materials: cold water and hot water.
Solubility in water:	Not available.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature:	188 to 290° C (370.4 to 554° F)

**Safety Data Sheet**  
**LUBRIPLATE®**  
**Revision Date: 5/01/20**

<b>SECTION 9 continued</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>
Decomposition temperature:	Not available.
SADT:	Not available.
Viscosity:	Kinematic (40° C (104° F): 0.19 to 1.09 cm <sup>2</sup> /s (19 to 109 cSt)
Physical/chemical properties comments:	Kinematic viscosity 100° C (212° F): 0.04 to 0.12 cm <sup>2</sup> /s (4 to 12 cSt)

<b>SECTION 10</b>	<b>STABILITY AND REACTIVITY</b>
Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability:	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid:	Keep away from heat, sparks and flame. Keep away from all sources of ignition.
Incompatible materials:	Reactive or incompatible with the following materials: oxidizing materials, acids and alkali.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Other:	Not applicable.

<b>SECTION 11</b>	<b>TOXICOLOGICAL INFORMATION</b>
-------------------	----------------------------------

**Information on toxicological effects**

**Acute toxicity**

<b>Product/ingredient name</b>	<b>Result</b>	<b>Species</b>	<b>Dose</b>	<b>Exposure</b>
White mineral oil (petroleum)	LD50 Oral	Rat	>5000 mg/kg	—

**Conclusion/Summary** FMO-85: Aspiration hazard if swallowed. Can enter lungs and cause damage. (Viscosity ≤0.205 cm<sup>2</sup>/s)

Irritation/Corrosion:	Not available.
Sensitization:	Not available.
Mutagenicity:	Not available.
Carcinogenicity:	Not available.
Reproductive toxicity:	Not available.
Teratogenicity:	Not available.
Specific target organ toxicity (single exposure):	Not available.
Specific target organ toxicity (repeated exposure):	Not available.
Aspiration hazard:	Not available.
Information on the likely routes of exposure:	Not available.

**Potential acute health effects**

Eye Contact:	No known significant effects or critical hazards.
Inhalation:	No known significant effects or critical hazards.
Skin Contact:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.

# Safety Data Sheet

LUBRIPLATE®

Revision Date: 5/01/20

SECTION 11 continued	TOXICOLOGICAL INFORMATION
----------------------	---------------------------

**Symptoms related to the physical, chemical and toxicological characteristics**

Eye Contact:	No specific data.
Inhalation:	No specific data.
Skin Contact:	No specific data.
Ingestion:	No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

Potential immediate effects	Not available.
Potential delayed effects	Not available.

**Long term exposure**

Potential immediate effects	Not available.
Potential delayed effects	Not available.

**Potential chronic health effects** Not available.

General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

**Numerical measures of toxicity** Not available.

**Acute toxicity estimates**

SECTION 12	ECOLOGICAL INFORMATION
------------	------------------------

Toxicity:	Not available.
Fish:	Not available.
Invertebrates:	Not available.
Aquatic plants:	Not available.
Microorganism:	Not available.
Persistence/Degradability:	Not available.

**Bioaccumulation Potential**

Ingredient name	Log Pow	BCF	Potential
White mineral oil (petroleum)	>6	-	High

**Mobility in soil**

Soil/water partition coefficient (K <sub>oc</sub> )	Not available.
Other adverse effects	No known significant effects or critical hazards.

**Safety Data Sheet**  
**LUBRIPLATE®**  
**Revision Date: 5/01/20**

SECTION 13	DISPOSAL CONSIDERATIONS
Disposal methods:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14	TRANSPORT INFORMATION		
	DOT Classification	IMDG	IATA
UN number:	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name:	–	–	–
Transport hazard class(es):	–	–	–
Packing group:	–	–	–
Environmental hazards:	No.	No.	No.
Additional information:	–	–	–
Special precautions for user:	Transport within user's premises always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.		

SECTION 15	REGULATORY INFORMATION
<b>U.S. Federal Regulation</b>	United States inventory (TSCA 8b): All components are listed or exempted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Not listed.
Clean Air Act Section 602 Class I Substances	Not listed.
Clean Air Act Section 602 Class II Substances	Not listed.
DEA List I Chemicals (Precursor Chemicals)	Not listed.
DEA List II Chemicals (Essential Chemicals)	Not listed.
<b>SARA 302/304</b>	
Composition/information on ingredients	No products were found.
<b>SARA 304 RQ</b>	Not applicable.
<b>SARA 311/312</b>	
Classification	Not applicable.
Composition/information on ingredients	

# Safety Data Sheet

LUBRIPLATE®

Revision Date: 5/01/20

SECTION 15 continued		REGULATORY INFORMATION				
Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
White mineral oil (petroleum)	100	No.	No.	No.	No.	No.
<b>SARA 313</b>	Not applicable.					
<b>State regulations</b>						
Massachusetts	None of the components are listed.					
New York	None of the components are listed.					
New Jersey	The following components are listed: OIL MIST, MINERAL, MINERAL OIL (HIGHLY REFINED)					
Pennsylvania	None of the components are listed.					
California Prop. 65	None of the components are listed.					


SECTION 16	OTHER INFORMATION		
Hazardous Material Information System (U.S.A.)	Health*	Flammability	Physical Hazards
	0	1	0

Caution HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

\*Indicates information that has changed from previously issued version.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.



# Safety Data Sheet

## LUBRIPLATE®

Revision Date: 5/01/20

SECTION 16 continued	OTHER INFORMATION
Key to abbreviations:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labeling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	HCS (U.S.A.)- Hazard Communication Standard International transport regulations
Notice to reader:	To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.  Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.
INFORMATION PROVIDED IN THIS SDS IS CONSIDERED ACCURATE AND RELIABLE BASED ON INFORMATION ISSUED FROM INTERNAL AND OUTSIDE SOURCES TO THE BEST OF THE AUTHORS' KNOWLEDGE. HOWEVER, THE AUTHOR'S MAKE NO REPRESENTATIONS, GUARANTEES OR WARRANTIES, EXPRESSED OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, REGARDING THE ACCURACY OF SUCH INFORMATION OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF, OR AS TO THE SUFFICIENCY OF THE INFORMATION HEREIN PRESENTED. THE AUTHORS ASSUME NO RESPONSIBILITY FOR INJURY TO RECIPIENT OR TO THIRD PERSONS OR FOR ANY DAMAGE TO ANY PROPERTY AND RECIPIENT ASSUMES ALL SUCH RISKS.	
Revisions / Comments:	None. 11/20/2014  Document review 5/01/20



**CAT PUMPS**  
1681 - 94TH LANE N.E. MINNEAPOLIS, MN 55449-4324  
PHONE (763) 780-5440 — FAX (763) 780-2958  
e-mail: techsupport@catpumps.com  
www.catpumps.com